

LABFIT

AUTOMATING YOUR REQUIREMENTS

AS-3020

“SOIL FERTILITY WITH PH & CONDUCTIVITY”





AS-3020

PH & EC ROBOT



Optional Pump



AS-3020 Robotic pH and Conductivity

The Labfit AS-3020 robotic pH and Conductivity analyser automates your soil and water testing requirements and can be configured to suit any ASTM or ISO method.

pH & EC for Soils & Waters

The robotic pH and conductivity (EC) analyser from Labfit is fast, accurate and has provision for up to 180 samples. This efficient pH and EC testing system can measure EC before the pH which ensures that the KCl solution does not interfere with the EC measurement.

The AS-3020 robotic pH and EC analyser ensures all testing adheres to method parameters configured by you. Powerful quality controls such as calibration checks, pH/EC stability, various electrode washing functions and stirring can all be programmed conditionally or by specific settings. As the system is computer controlled, you can be sure that every test is performed exactly the same way, every time.

ROBOTIC PRECISION

REDUCED LABOUR COSTS

PRECISE PH/EC CONTROLS

CUSTOMISABLE ANALYSIS

LIMS COMPATIBLE

APPLICATIONS

SOILS & WATERS

WASTE WATER

FOOD & BEVERAGES

SLURRIES

ORGANIC MATERIALS

LABFIT

Spray wash
Included as Standard

Agricultural

Environmental

Minerals


Customisation



Some of our other products



Apollo L



AS-3000D



CS-1232

www.labfit.com

Labfit Pty Ltd

2/6 Raymond Ave

Bayswater WA 6053

Australia

P: +618 9272 4444

F: +618 9371 8652

E: sales@labfit.com